



13" HISTORIC ALL WEATHER

The Avon Historic All Weather patterned tyres are designed to give exceptional road holding characteristic in all-weather applications while keeping the period look of the historic range of racing cars. It is FIA homologated for several historic racing series throughout the world.

TYRE SIZE	RIM CHOICE	RIM USED	MEASURED AT		DIAMETER		SECTION		TREAD		REVOLUTIONS		COMPOUND AVAILABLE	CATEGORY	PATTERN CODE
			PSI	BAR	INS	MM	INS	MM	INS	MM	MILES	KM			
6.2/20.0-13	5.5 - 6.5	6	20	1.36	19.90	505	7.20	183	6.10	154	1013	633	A11	HSC	H001
6.2/20.0-13	5.5 - 6.5	6	20	1.36	19.90	505	7.20	183	6.10	154	1013	633	A11	F600	H001
7.0/20.0-13	6.0 - 8.0	7	20	1.36	20.10	510	8.00	203	7.40	187	1003	627	A11, A24	GN	H002
7.0/20.0-13	6.0 - 8.0	7	20	1.36	20.10	510	8.00	203	7.40	187	1003	627	A11	FCONT	H002
7.2/20.0-13	6.0 - 8.0	8	20	1.36	20.20	513	9.00	229	7.10	180	998	624	A11	HSC	H002
7.2/20.0-13	6.0 - 8.0	8	20	1.36	20.20	513	9.00	229	7.10	180	998	624	A11	CLUB	H002
7.2/20.0-13	6.0 - 8.0	8	20	1.36	20.20	513	9.00	229	7.10	180	998	624	A15	HC	H002
7.5/20.0-13	6.5 - 8.5	8	20	1.36	20.25	514	9.00	229	7.70	195	996	622	A11	GN	H003
9.0/20.0-13	8.0 - 10.0	10	20	1.36	20.00	508	10.65	271	9.20	233	1008	630	A15, A11	HSC	H004
9.0/20.0-13	8.0 - 10.0	10	20	1.36	20.00	508	10.65	271	9.20	233	1008	630	A24	CLUB	H004
9.0/20.0-13	8.0 - 10.0	10	20	1.36	20.00	508	10.65	271	9.20	233	1008	630	A37	CER	H004
10.0/20.0-13	9.0 - 11.0	10	20	1.36	19.80	502	11.10	282	10.20	259	1018	636	A11	HSC	H005
10.0/20.0-13	9.0 - 11.0	10	20	1.36	19.80	502	11.10	282	10.20	259	1018	636	A24	CLUB	H005
6.5/21.0-13	5.5 - 7.5	7	20	1.36	20.50	520	9.00	229	6.50	165	984	615	A46	F2000	H001
7.0/21.0-13	6.0 - 8.0	8	20	1.36	20.60	523	9.00	229	7.20	182	979	612	A11, A37	HSC	H002
7.0/21.0-13	6.0 - 8.0	8	20	1.36	20.60	523	9.00	229	7.20	182	979	612	A24	F3	H002
7.5/21.0-13	6.5 - 8.5	8	20	1.36	20.50	520	8.50	216	7.40	187	984	615	A27, A37	HSC	H002
7.5/21.0-13	6.5 - 8.5	8	20	1.36	20.50	520	8.50	216	7.40	187	984	615	A15	HC	H002
8.5/21.0-13	7.5 - 9.0	9	20	1.36	20.80	528	10.20	259	8.50	215	969	606	A15	HC	H003
9.0/21.0-13	8.0 - 10.0	10	20	1.36	21.00	533	10.90	277	9.10	231	960	600	A11	CLUB	H004
7.0/22.0-13	6.5 - 8.5	7.5	20	1.36	21.60	548	8.70	221	6.90	175	934	584	A43	HSC	H002
8.2/22.0-13	7.0 - 10.0	9	20	1.36	22.00	558	10.10	257	8.60	218	917	573	A11, A24	HSC	H003
8.2/22.0-13	7.0 - 10.0	9	20	1.36	22.00	558	10.10	257	8.60	218	917	573	A11	F600	H003
8.2/22.0-13	7.0 - 10.0	9	20	1.36	22.00	558	10.10	257	8.60	218	917	573	A15	HC	H003
8.2/22.0-13	7.0 - 10.0	9	20	1.36	22.00	558	10.10	257	8.60	218	917	573	A24	F3	H003
8.2/22.0-13	7.0 - 10.0	9	20	1.36	22.00	558	10.10	257	8.60	218	917	573	A27, A46	F2000	H003
8.2/22.0-13	7.0 - 10.0	9	20	1.36	22.00	558	10.10	257	8.60	218	917	573	A37	CER	H003
9.2/22.0-13	8.5 - 10.5	10	20	1.36	22.40	568	11.10	282	9.10	231	900	562	A24, A27, A37	HSC	H004
9.2/22.0-13	8.5 - 10.5	10	20	1.36	22.40	568	11.10	282	9.10	231	900	562	A15	HC	H004
10.0/22.0-13	9.0 - 12.0	11	20	1.36	22.10	561	11.90	302	10.30	261	912	570	A11	HSC	H005
10.5/23.0-13	9.5 - 11.5	11	20	1.36	23.50	596	12.30	312	10.30	261	858	536	A15, A11, A24	HSC	H005
12.0/23.0-13	12.0 - 14.0	13	20	1.36	23.20	589	14.50	368	12.30	312	869	543	A11	HSC	H006
13.0/23.0-13	13.0 - 15.0	14	20	1.36	23.25	590	15.15	385	13.00	330	867	542	A11	HSC	H007
13.0/23.0-13	13.0 - 15.0	14	20	1.36	23.25	590	15.15	385	13.00	330	867	542	A37	CER	H007
13.0/24.5-13	13.0 - 15.0	14	20	1.36	24.30	617	15.50	394	12.50	317	830	519	A37	CER	H007
15.0/26.0-13	15.0 - 18.0	16	20	1.36	25.75	654	17.75	451	15.00	381	783	489	A11	HSC	H009
16.2/26.0-13	16.0 - 18.0	17	20	1.36	25.80	655	18.75	476	16.30	414	782	489	A11	HSC	H009